

MASTER 60



BUILT TO LAST
SINCE 1971

Available Side door dimensions.

23" x 71"



25" x 23"




10" x 19"



Adjustable separators have the ability to be secured with screws in order to avoid unnecessary noise.




Aluminum Shelving available in 72" and 90" lengths and 14" and 18" widths.



Parts compartments



Workbench and drawers



For more information visit www.mastertruckbody.com



Dimensions of drawers available

	Depth	Width	Height	Height drawers	Weight 17"	Weight 24"
2 drawers	14"	17" or 24"	11"	5"	19 lbs	27 lbs
4 drawers	14"	17" or 24"	11"	2 1/4"	25 lbs	34 lbs
4 drawers	20"	30"	30"	1 x 4" - 2 x 8" - 1 x 12"	92 lbs	


Doors installed on shelving



Hooks and Brackets




Itemized drawers for parts.



Ladder racks

Aluminum ladder support



Ladder rack with standard ladder fasteners




For frequent ladder use.

6" wide conduit carrier for pipe or conduit up to 13'



Inclined, drop-down, rotational ladder rack reduces risk of injury.



Several models of work lights and flashing lights



Power inverter



Heater




Specifications



Specifications	8' bed	6½' bed
Entry height	51"	51"
Maximum interior height	58"	58"
Entrance width	50"	50"
Maximum length inside	100"	82"
Maximum internal width	75"	75"
Interior volume	250 feet ³	205 feet ³
Weights	450 pounds	400 pounds

Standard Characteristics

- One-piece, air-tight construction.
- Double walled fiberglass floor reinforced with plywood.
- 1/4" anti-slip rubber mat.
- Non-slip Aluminum kick-plate at doors.
- 50/50 doors to allow doors to open when pulling a trailer.
- Doors are all double walled and have automotive hinges and gaskets to keep body air tight and secure.
- 4 point lock-down system attaches body to the bed of your truck with no drilling, screw or bolts.
- Aluminum protection at the bottom of the doors.
- Standard interior lighting.
- Magnetic switches automatically turn lights on and off when door opened.
- UV Resistant Gelcoat finish.
- High third brake-light.
- Ambulance type anodized aluminum door-stops.
- Doors open 160°.
- Floor reinforced with plywood.



For More Information Visit: www.mastertruckbody.com

Rollout decks

Installing a heavy-duty rollout deck in the floor of the Master can be used to bring your equipment outside without having to go inside. The deck opens to 80% of its full length and is available in capacities from 1500-2000 and 4000lbs.

Available in 24" and 48" wide.



24" Foldable Foot-step



2000lb capacity jacks



MASTER SERIE



LIMITED, LIFETIME WARRANTY

With over 40 years of knowledge and experience, Mory is confident of the quality of its products and we are proud to give a lifetime guarantee on all Master Series Products. For more information please contact us or visit us at www.moryinc.com for more information.

MORY INC.

Toll Free 1-888-421-3999
E-mail: Info@mastertruckbody.com
Web site: www.mastertruckbody.com

Authorized Distributor